

AKDO®

TRADITION

Progressive. Streamlined. Adaptable.

A resilient and authentic twist.



Far Beyond the Surface



Calacatta Bellissimo




Tradition 47" x 110" Calacatta Bellissimo (G)
PO2420-SL14G0 - *Special Order*



Tradition 47" x 110" Calacatta Bellissimo (M)
PO2420-SL14M0 - *Special Order*

Dream Black



Tradition 47" x 110" Dream Black (G)

PO2424-SL14G0 · *Special Order*



Tradition 47" x 110" Dream Black (M)

PO2424-SL14M0






Pure Tuscan



Tradition 47" x 110" Pure Tuscan (G)

PO2423-SL14G0 - *Special Order*

White Vision



Tradition 47" x 110" White Vision (G)
PO2422-SL14G0



Tradition 47" x 110" White Vision (M)
PO2422-SL14M0





DIMENSIONS

PROFILE	THICKNESS	SIZE
Tradition 47" x 110"	0.60 cm	47.24" x 110.24" = 36.16 sqft

ENVIRONMENTS

	WALL	FLOOR	INDOOR	WET AREA	FROST RESISTANT	VARIATION	SEALER
Glossy	Yes	Residential Use Only	Yes	Wall Only	Yes	Medium	Grout Only
Matte	Yes	Yes	Yes	Yes	Yes	Medium	Grout Only

TECHNICAL DATA

FEATURES	STANDARD TEST	SPECIFICATION	SPECIFICATION
		GLOSSY FINISH	MATTE FINISH
Deviation in Length and Width	ISO 10545-2	±0.15%	±0.15%
Deviation in Average Thickness	ISO 10545-2	±5%	±5%
Maximum Straightness Deviation	ISO 10545-2	±0.1%	±0.1%
Maximum Right-Angle Deviation	ISO 10545-2	±0.2%	±0.2%
Flatness	ISO 10545-2	±0.2%	±0.2%
Surface Quality	ISO 10545-2	Conforming	Conforming
% Water Absorption	ISO 10545-3	0.08% (average)	0.08% (average)
Breaking Strength in N	ISO 10545-4	≥1350 N (*)	≥1350 N (*)
Flexural Strength Test	ISO 10545-4	>52 N/mm ² (*)	>52 N/mm ² (*)
Thermal Shock Resistance	ISO 10545-9	Resistant	Resistant
Frost Resistance	ISO 10545-12	Resistant	Resistant
Resistance to Staining	ISO 10545-14	Class 3-4	Class 3
Release of Hazardous Substances	DM 1/2/2007 Reg. CE 1935/2004	Conforming	Conforming
DCOF	DCOF (section 9.6 ANSI A 137.1.2012)		> 0.42 wet

*Test performed on 80x80 cm size

COLOR	Resistance To Low Acids & Alkalis Standard Test: ISO 10545-13	Resistance To Domestic & Swimming Pool Chemicals Standard Test: ISO 10545-13	Resistance To Abrasion Standard Test: ISO 10545-7
Calacatta Bellissimo (G)	GLB	GA	CLASS 2
Calacatta Bellissimo (M)	GLB	GA	CLASS 2
Dream Black (G)	ULB	UA	140mm ³ (*)
Dream Black (M)	ULA	UA	140mm ³ (*)
Pure Tuscan (G)	GLB	GA	CLASS 2
White Vision (G)	GLB	GA	CLASS 4
White Vision (M)	GLA	GA	CLASS 4

*Standard Test: ISO 10545-6

For detailed installation guidelines, visit akdo.com.

AKDO

1435 State Street
Bridgeport, CT 06605
1.800.811.2536
203.336.5199 (o)
203.336.0603 (f)

AKDO NYC

22 West 21st Street
New York, NY 10010
1.800.811.2536
212.485.0448 (o)
212.485.0449 (f)

AKDO Pacific

3445 Arden Road
Hayward, CA 94545
1.888.909.2536
510.785.2536 (o)
510.785.0895 (f)

akdo.com

