

AKDO®

ARCHITETTO

Designed by Gensler

Harmonious. Remarkable. Lively.

Revitalize and inspire.




Far Beyond the Surface



ARCHITETTO

marble & metal mosaic

Angolo



Special Order
Architetto Angolo Ash Gray (H)
MB1809-ANGOH0



Special Order
Architetto Angolo Calacatta (H)
MB1203-ANGOH0



Architetto Angolo Calacatta (H) with Brass
MB1203-ANGOH1



Architetto Angolo Carrara Bella (H)
MB1604-ANGOH0




Architetto Angolo Carrara Bella (H)
with Stainless Steel
MB1604-ANGOH1

Product shown on cover: Architetto Compasso Ash Gray (H&SB)
Product shown: Architetto Angolo Calacatta (H)

ARCHITETTO

marble & metal mosaic

Compasso



Architetto Compasso Ash Gray (H&SB)
MB1809-COMP00



Architetto Compasso Carrara Bella (H&SB)
MB1604-COMP00



Architetto Compasso Calacatta (H) with Brass
MB1203-COMPH0



Architetto Compasso Carrara Bella (H)
with Stainless Steel
MB1604-COMPH0



Product shown: Architetto Compasso Calacatta (H) with Brass






ARCHITETTO

marble & metal mosaic

Modulo



Special Order
Architetto Modulo Ash Gray (H&P)
MB1809-MODU00



Architetto Modulo Calacatta (H&P)
MB1203-MODU00



Architetto Modulo Calacatta (H) with Brass
MB1203-MODUHO



Architetto Modulo Carrara Bella (H&P)
MB1604-MODU00



Architetto Modulo Carrara Bella (H)
with Stainless Steel
MB1604-MODUHO

Product shown on previous spread: Architetto Compasso Ash Gray (H&SB), 12" x 12" Ash Gray (H)
Product shown: Architetto Modulo Calacatta (H) with Brass



ARCHITETTO

marble & metal mosaic

CONVERSION CHART

PROFILE	SIZE
Angolo	8" x 8" = .444 sqft (+/-)
Compasso	8" x 8" = .444 sqft (+/-)
Modulo	12" x 12" = 1.0 sqft (+/-)

APPLICATIONS – ARCHITETTO MOSAICS WITHOUT METAL

WALL	FLOOR	INTERIOR	EXTERIOR FREEZE/THAW	STEAM SHOWER	WET AREA	POOL
Yes	Yes	Yes	No	Yes, if sealed properly	Yes, if sealed properly	No

APPLICATIONS – ARCHITETTO MOSAICS WITH BRASS*

WALL	FLOOR	INTERIOR	EXTERIOR FREEZE/THAW	STEAM SHOWER	WET AREA	POOL
Yes	Yes	Yes	No	No	No	No

APPLICATIONS – ARCHITETTO MOSAICS WITH STAINLESS STEEL*

WALL	FLOOR	INTERIOR	EXTERIOR FREEZE/THAW	STEAM SHOWER	WET AREA	POOL
Yes	Yes	Yes	No	No	Yes, if sealed properly	No

Due to the inherent characteristics of natural stone and metal, there may be variations in color, movement, and texture from lot to lot. Epoxy grout should be used when installing Architetto mosaics with metal. For detailed installation guidelines, visit [akdo.com](#).

Modulo Calacatta (H&P) and Modulo Calacatta (H) with Brass were used as representative samples to determine the dynamic coefficient of friction (DCOF) for the Architetto collection.

*As a natural material, brass is prone to oxidation; a chemical reaction that occurs over time from exposure to air. Both stainless steel and brass may scratch when used as floor covering.

DISCLAIMER: The performance of surface covering products often depends on installation, environmental, and usage factors unique to each project. AKDO is not responsible for any effects that may be caused to products due to installation, wear from use, or exposure to environmental factors including but not limited to: hard water, chemicals, heat, flame, smoke, dirt or other substances. It is your responsibility to assess the project to determine if the product you are selecting is appropriate considering the unique characteristics of your installation, and to apply appropriate, high quality sealers when necessary. Please consult your installer for more information.

Product Design
Consultant

Gensler

Gensler is a global architecture, design, and planning firm with 49 locations and more than 6,000 professionals networked across Asia, Europe, Australia, the Middle East, and the Americas. Founded in 1965, the firm serves more than 3,300 active clients in virtually every industry. Gensler designers strive to make the places people live, work, and play more inspiring, more resilient, and more impactful. As product designers, the firm draws on its vast knowledge of new materials, the latest technologies, and evolving workplace trends to enhance visual appeal, performance, and end user experience.

AKDO

1435 State Street
Bridgeport, CT 06605
1.800.811.2536
203.336.5199 (o)
203.404.5000 (f)

AKDO NYC

22 West 21st Street
New York, NY 10010
1.800.811.2536
212.485.0448 (o)
646.273.3903 (f)

akdo.com

10282025



COMMERCIAL · HOSPITALITY · RESIDENTIAL

AKDO®