AKDO

CHECKERBOARD

Chic. Charming. Contemporary.

Achieve the classic elegance of this versatile pattern with marble.





CHECKERBOARD

Tumbled



10" x 10" Carrara (Tumbled) MB1130-CKBDT0



10" x 10" Moss Green (Tumbled) MB1088-CKBDT0



10" x 10" Coastal Gray (Tumbled) MB2568-CKBDT0



10" x 10" Tulip Black (Tumbled) MB1187-CKBDT0

CHECKERBOARD

Honed



10" x 10" Саггага (Н) мв1130-СКВДНО



10" x 10" Moss Green (H) MB1088-CKBDH0

Polished



10" x 10" Carrara (P) MB1130-CKBDP0



10" x 10" Coastal Gray (H) MB2568-CKBDH0



10" x 10" Tulip Black (Н) мв1187-СКВDНО



10" x 10" Tulip Black (P) MB1187-CKBDP0





DIMENSIONS

No

PROFILE	SIZE
10" × 10"	10" × 10" = 0.694 sqft (+/-)

APPLICATIONS - TUMBLED & HONED

Yes

INTERIOR	EXTERIOR	TRAFFIC	SHOWER	BACKSPLASH	FIREPLACE SURROUND
Wall and Floor	Non Freeze/Thaw, Wall and Floor	Light Commercial	Wall and Floor, Including Steam	Yes	Yes
POOL	COUNTERTOP				
No	Yes				
APPLICATION	NS - POLISHED				
INTERIOR	EXTERIOR	TRAFFIC	SHOWER	BACKSPLASH	FIREPLACE SURROUND
Wall and Floor	Non Freeze/Thaw, Wall and Floor	Residential	Wall only; Including Steam	Yes	Yes
POOL	COUNTERTOP				

Due to the inherent characteristics of natural stone, there may be variations in color, movement, and texture from lot to lot. For detailed installation guidelines, visit akdo.com.

Due to natural calibration variations between honed, tumbled, and polished finishes, we recommend specifying the finish type when creating a checkerboard pattern to ensure a consistent look throughout the installation. Honed and polished finishes can be used together, but tumbled finishes should be used on their own.

The performance of surface covering products often depends on installation, environmental, and usage factors unique to each project. AKDO is not responsible for any effects that may be caused to products due to installation, wear from use, or exposure to environmental factors including but not limited to: hard water, chemicals, heat, flame, smoke, dirt or other substances. It is your responsibility to assess the project to determine if the product you are selecting is appropriate considering the unique characteristics of your installation, and to apply appropriate, high quality sealers when necessary. Please consult your installer for more information.

AKDO

1435 State Street Bridgeport, CT 06605 1.800.811.2536 203.336.5199 (o) 203.404.5000 (f)

AKDO NYC

22 West 21st Street New York, NY 10010 1.800.811.2536 212.485.0448 (o) 646.273.3903 (f)

akdo.com



