

AKDO®

CLAYBORN

Foundational. Subdued. Contemporary.

Textured porcelain that balances refinement and depth.



Far Beyond the Surface



CLAYBORN

porcelain


Avorio



Clayborn 2" x 2" Avorio (M)
PO2856-M002M0




Clayborn 12" x 24" Avorio (M)
PO2856-1224M0



Clayborn 24" x 24" Avorio (M)
PO2856-2424M0



Clayborn 24" x 48" Avorio (M)
PO2856-2448M0



Clayborn 24" x 48" Striated
Avorio (M)
PO2856-24483D

Product shown on cover: Clayborn 24" x 48" Sabbia (M), Clayborn 24" x 48" Asphalt (M)
Product shown: Clayborn 2" x 2" Avorio (M), Clayborn 12" x 24" Avorio (M), Clayborn 24" x 48" Striated Avorio (M)

CLAYBORN

porcelain

Sabbia



Clayborn 2" x 2" Sabbia (M)
PO2857-M002M0



Clayborn 12" x 24" Sabbia (M)
PO2857-1224M0



Clayborn 24" x 24" Sabbia (M)
PO2857-2424M0



Clayborn 24" x 48" Sabbia (M)
PO2857-2448M0



Clayborn 24" x 48" Striated
Sabbia (M)
PO2857-24483D

Product shown: Clayborn 24" x 48" Sabbia (M), Clayborn 24" x 48" Asphalt (M)





CLAYBORN

porcelain

Cement



Clayborn 2" x 2" Cement (M)
PO2858-M002M0




Clayborn 12" x 24" Cement (M)
PO2858-1224M0



Clayborn 24" x 24" Cement (M)
PO2858-2424M0



Clayborn 24" x 48" Cement (M)
PO2858-2448M0




Clayborn 24" x 48" Striated
Cement (M)
PO2858-24483D

Product shown: Clayborn 24" x 48" Cement (M), Clayborn 24" x 48" Striated Cement (M)


CLAYBORN

porcelain

Asphalt



Clayborn 2" x 2" Asphalt (M)
PO2859-M002M0




Clayborn 12" x 24" Asphalt (M)
PO2859-1224M0



Clayborn 24" x 24" Asphalt (M)
PO2859-2424M0



Clayborn 24" x 48" Asphalt (M)
PO2859-2448M0



Clayborn 24" x 48" Striated
Asphalt (M)
PO2859-24483D

Product shown top to bottom: Clayborn 12" x 24" Asphalt (M), Clayborn 12" x 24" Sabbia (M), Clayborn 12" x 24" Cement (M), Clayborn 12" x 24" Avorio (M)





CLAYBORN

porcelain

CONVERSION CHART

PROFILE	SIZE
2" x 2"	11.81" x 11.81" = .97 sqft (+/-)
12" x 24"	11.81" x 23.62" = 1.938 sqft (+/-)
24" x 24"	23.62" x 23.62" = 3.875 sqft (+/-)
24" x 48"	23.62" x 47.42" = 7.75 sqft (+/-)

APPLICATIONS

INTERIOR	EXTERIOR	TRAFFIC	SHOWER	BACKSPLASH	FIREPLACE SURROUND	POOL
Wall and Floor*	No	Commercial	Wall Only; No Steam Showers**	Yes	Yes	No

PEI - ISO 10545-7

COLORWAY	PEI RATING
Asphalt, Avorio, Cement, Sabbia	IV

*Clayborn Striated tiles are not suitable for floor applications.
**Clayborn 2" x 2" mosaics are suitable for both shower wall and floor applications (no steam showers).

Due to the inherent characteristics of porcelain, there may be variations in color, movement, and texture from lot to lot.
For detailed installation guidelines, visit [akdo.com](#).

DISCLAIMER: The performance of surface covering products often depends on installation, environmental, and usage factors unique to each project. AKDO is not responsible for any effects that may be caused to products due to installation, wear from use, or exposure to environmental factors including but not limited to: hard water, chemicals, heat, flame, smoke, dirt or other substances. It is your responsibility to assess the project to determine if the product you are selecting is appropriate considering the unique characteristics of your installation, and to apply appropriate, high quality sealers when necessary. Please consult your installer for more information.

AKDO

1435 State Street
Bridgeport, CT 06605
1.800.811.2536
203.336.5199 (o)
203.404.5000 (f)

AKDO NYC

22 West 21st Street
New York, NY 10010
1.800.811.2536
212.485.0448 (o)
646.273.3903 (f)

akdo.com

03162026

