

AKDO®

ELITE

*Harmonious. Modern. Striking.
Where beauty meets performance.*



Far Beyond the Surface

ELITE


Dark Brown



Elite 12" x 24" Dark Brown

(G) PO2680-1224G0


(N) PO2680-1224N0



Elite 24" x 24" Dark Brown

(G) PO2680-2424G0

(N) PO2680-2424N0




Elite 3" x 12" Dark Brown


(G) PO2680-0312G0




Elite 1" x 3" Herringbone Dark Brown
(G) PO2680-HERRGO




Elite Basketweave Dark Brown
(G) PO2680-BASIGO



Elite 3" Hexagon Dark Brown
(G) PO2680-HEXAGO




Elite 2" x 2" Dark Brown
(G) PO2680-M002GO



Elite 3 3/4" x 21 1/4" Chevron Dark Brown
(G) PO2680-CHEVGO

Dark Brown




Elite 24" x 48" Bookmatched Dark Brown
(G) PO2680-2448G0



ELITE

Onice Royal



Elite 12" x 24" Onice Royal

(G) PO2682-1224G0

(N) PO2682-1224N0



Elite 24" x 24" Onice Royal

(G) PO2682-2424G0

(N) PO2682-2424N0


Pietra Grey



Elite 12" x 24" Pietra Grey

(G) PO2681-1224G0

(N) PO2681-1224N0



Elite 24" x 24" Pietra Grey

(G) PO2681-2424G0

(N) PO2681-2424N0






Product shown: Elite Pietra Grey (N)

ELITE

Statuario



Elite 12" x 24" Statuario

(G) PO2675-1224G0


(N) PO2675-1224N0



Elite 24" x 24" Statuario


(G) PO2675-2424G0

(N) PO2675-2424N0




Elite 3" x 12" Statuario

(G) PO2675-0312G0




Elite 1" x 3" Herringbone Statuario
(G) PO2675-HERRGO




Elite Basketweave Statuario
(G) PO2675-BASIGO



Elite 3" Hexagon Statuario
(G) PO2675-HEXAGO



Elite 2" x 2" Statuario
(G) PO2675-M002G0



Elite 3 3/4" x 21 1/4" Chevron Statuario
(G) PO2675-CHEVGO





Elite 24" x 48" Bookmatched Statuario

PO2675-2448G0



Product shown: Elite 2" x 2" Statuario (G)

CONVERSION CHART

PROFILE	SIZE
Elite 1" x 3" Herringbone	11.81" x 12.59" = 1 sqft
Elite 2" x 2" Mosaic	11.81" x 11.81" = 0.97 sqft
Elite 3" Hexagon	11.81" x 13.77" = 1.13 sqft
Elite Basketweave	12" x 12" = 0.994 sqft
Elite 3" x 12"	2.95" x 11.81" = 0.242 sqft
Elite 3 3/4" x 21 1/4" Chevron	3.74" x 21.25" = 0.552 sqft
Elite 12" x 24"	11.81" x 23.62" = 1.937 sqft
Elite 24" x 24"	23.62" x 23.62" = 3.875 sqft
Elite 24" x 48" Bookmatched	23.62" x 47.24" = 7.75 sqft

APPLICATIONS

	WALL	FLOOR	TRAFFIC	INTERIOR	EXTERIOR FREEZE/THAW	STEAM SHOWER	WET AREA	POOL	BACKSPLASH	FIREPLACE SURROUND
Natural	Yes	Yes	Heavy Commercial	Yes	Yes	Yes	Yes	Yes	Yes	Yes
Polished	Yes	Yes	Light Commercial	Yes	Yes	Yes	Yes	Yes	Yes	Yes

TECHNICAL DATA

FEATURES	STANDARD TEST	SPECIFICATION
Barefoot Ramp Test	DIN 51097	A+B
Bending Resistance	ISO 10545-4	≥ 1300 N
Bond Strength	EN 1348	≥ 1.0 N/mm ² (Class C2 - EN 12004)
Booted Ramp Test	DIN 51130	R9 NATURAL
Breaking Strength	ISO 10545-4	S ≥ 1300 N
Coefficient of Friction	B.C.R.A. Rep. CEC/81	>0.42 Dry (Polished & Natural) / >0.42 Wet (Natural)
Coefficient of Linear Thermal Expansion	ISO 10545-8	≤ 7MK-1
Dynamic Coefficient of Friction	(DCOF) - ANSI A.137.1	> 0.42 Wet
Deep Abrasion Resistance of Unglazed Tiles	ISO 10545-6	≤ 175mm ³
Frost Resistance	ISO 10545-12	Resistant
Impact Resistance	ISO 10545-5	≥ 0.55
Mohs Hardness		MOHS 6
Moisture Expansion	ISO 10545-10	≤ 0.01% (0.1mm/m)
Pendulum Friction Test		≥ 36Dry ≥ 36Wet
Pendulum Friction Test	AS 4586	Class P3
Pendulum Friction Test	UNE-ENV 12633 UNE 41901:2017 EX	Class C2
Reaction to Fire		A1 - A1fl
Regularity of Length & Width	ISO 10545-2	Compliant
Regularity of Rectangularity	ISO 10545-2	Compliant
Regularity of Straightness of Sides	ISO 10545-2	Compliant
Regularity of Surface Flatness	ISO 10545-2	Compliant

Due to the inherent characteristics of porcelain, there may be variations in color, movement and texture from lot to lot.

For detailed installation guidelines, visit akdo.com.

AKDO

1435 State Street
Bridgeport, CT 06605
1.800.811.2536
203.336.5199 (o)
203.336.0603 (f)

AKDO NYC

22 West 21st Street
New York, NY 10010
1.800.811.2536
212.485.0448 (o)
212.485.0449 (f)

AKDO Pacific

3445 Arden Road
Hayward, CA 94545
1.888.909.2536
510.785.2536 (o)
510.785.0895 (f)

akdo.com