AKDO

MYSTIC SILVER

Soothing. Serene. Stately.

A marble destined to stun with an understated opulence.





12" x 24" Mystic Silver (H) MB1996-1224H0



18" x 36" Mystic Silver (H) MB1996-1836H0





	12 Carlos		1.00%
A.			

2" x 2" Mystic Silver (H) MB1996-M002H0



MYSTIC SILVER

DIMENSIONS

PROFILE	SIZE		
2" × 2"	12" × 12" = 1sqft (+/-)		
12" × 24"	12" × 24" = 2 sqft (+/-)		
18" × 36"	18" x 36" = 4.5 sqft (+/-)		
Slabs are also available.			

APPLICATIONS

INTERIOR	EXTERIOR	TRAFFIC	SHOWER	BACKSPLASH	FIREPLACE SURROUND
Wall and Floor	Non Freeze/ Thaw, Wall only	Standard Commercial	Wall and Floor, Including Steam Showers	Yes	Yes
POOL	COUNTERTOP				
No	Yes				

TECHNICAL DATA

FEATURES & STANDARD	SPECIFICATION
DCOF – ANSI A. 137. 1	Due to the natural characteristics and variation in natural stone, slip resistance will vary. Such factors are dependent on lots, finish and the topical sealant applied. There is currently no standard industry test with the ability to measure the exact slip resistance.
	To reduce the slipperiness of stone surfaces, AKDO suggests selecting a non-polished finish such as honed, sandblasted, or textured stone, or choosing a mosaic, as the grout joints in the stone result in an increase of friction.

Due to the inherent characteristics of natural stone, there may be variations in color, movement, and texture from lot to lot. For detailed installation guidelines, visit akdo.com.

AKDO

1435 State Street Bridgeport, CT 06605 1.800.811.2536 203.336.5199 (o) 203.336.0603 (f)

AKDO NYC

22 West 21st Street New York, NY 10010 1.800.811.2536 212.485.0448 (o) 212.485.0449 (f)

AKDO Pacific

3445 Arden Road Hayward, CA 94545 1.888.909.2536 510.785.2536 (o) 510.785.0895 (f)

akdo.com



