# **AKDO**°

# NEXT

Evolved. Invigorating. Fearless.

The future is now.





#### Arrow



Next Arrow Carrara Bella (H) with Gray Terrazzo MB1604-0909H0



Next Arrow Ombra (H) with Shadow Terrazzo MB2426-0909H0



Next Arrow Thassos (H) with White Terrazzo MB1232-0909H0

# Diagonal



Next Diagonal Ombra (H) with Shadow Terrazzo MB2426-0808H0



Next Diagonal Ombra (H) with Shadow Terrazzo & Brass MB2426-0808H1




Next Diagonal Thassos (H) with White Terrazzo MB1232-0808H0



Next Diagonal Thassos (H)
with White Terrazzo & Stainless Steel

MB1232-0808H1









#### Hex



Next Hex Carrara Bella (H)

MB1604-HEX8HO



Next Hex Carrara Bella (H) with Gray Terrazzo MB1604-HEX8H1



Next Hex Carrara Bella (H) with Gray Terrazzo & Stainless Steel MB1604-HEX8H2



Next Hex Ombra (H)
MB2426-HEX8H0



Special Order
Next Hex Ombra (H)
with Shadow Terrazzo
MB2426-HEX8H1



Special Order
Next Hex Ombra (H)
with Shadow Terrazzo & Brass
MB2426-HEX8H2



Next Hex Thassos (H)

MB1232-HEX8H0




Special Order
Next Hex Thassos (H)
with White Terrazzo

MB1232-HEX8H1



Next Hex Thassos (H)
with White Terrazzo & Stainless Steel

MB1232-HEX8H2



#### CONVERSION CHART

PROFILE	SIZE
---------	------

Arrow  $8.90'' \times 8.90'' = .550 \text{ sqft (+/-)}$ Diagonal  $7.99'' \times 7.99'' = .443 \text{ sqft (+/-)}$ 

Hex  $7.81'' \times 9.00''$  Hexagon = .366 sqft (+/-)

#### APPLICATIONS - NEXT MOSAICS WITHOUT METAL

WALL	FLOOR	INTERIOR	EXTERIOR FREEZE/THAW	STEAM SHOWER	WET AREA	POOL
Yes	Yes	Yes	No	No	Yes, if sealed properly	No

#### APPLICATIONS - NEXT MOSAICS WITH BRASS\*

WALL	FLOOR	INTERIOR	EXTERIOR FREEZE/THAW	STEAM SHOWER	WET AREA	POOL
Yes	Yes	Yes	No	No	No	No

#### APPLICATIONS - NEXT MOSAICS WITH STAINLESS STEEL\*

WALL	FLOOR	INTERIOR	EXTERIOR FREEZE/THAW	STEAM SHOWER	WET AREA	POOL
Yes	Yes	Yes	No	No	Yes, if sealed properly	No

Epoxy grout should be used when installing Next mosaics with metal. A 1/16" grout joint is recommended for all Next mosaics.

For detailed installation guidelines, visit akdo.com.

<sup>\*</sup>As a natural material, brass is prone to oxidation; a chemical reaction that occurs over time from exposure to air. Both stainless steel and brass may scratch when used as floor covering.

### AKDO

1435 State Street Bridgeport, CT 06605 1.800.811.2536 203.336.5199 (o) 203.404.5000 (f)

## AKDO NYC

22 West 21st Street New York, NY 10010 1.800.811.2536 212.485.0448 (o) 646.273.3903 (f)

akdo.com



