

AKDO®

PLAN

Porcelain Slabs

Sophisticated. Distinct. Seamless.

The perfect balance of performance and aesthetics.



Far Beyond the Surface



20mm Plan Basaltina Volcano (Hammered) Slab
PO2758-SL20H0




20mm Plan Boost Smoke (Hammered) Slab
PO2757-SL20H0

Product shown on cover: Plan Calacatta Bernini (P) Slab
Product shown: Plan Boost Smoke (Hammered) Slab



PLAN

porcelain slab



12mm

A B

Plan Calacatta Bernini Bookmatch (P) Slab
PO2750-SL12P1

PLAN

porcelain slab



20mm

Special Order
Plan Calacatta Bernini (P) Slab*
PO2750-SL20P0



20mm

Plan Statuario Supremo Slab
(P) PO2753-SL20P0
(M) PO2753-SL20M0

*For reasons relating to production techniques, the Calacatta Bernini and Statuario Supremo 20mm slabs may not correspond exactly with what is illustrated.

PLAN

porcelain slab



12mm

A B

Plan Calacatta Imperiale Bookmatch (P) Slab
PO2762-SL12P1


PLAN

porcelain slab



20mm

Plan Nero Marquina Slab
(Silk) PO2755-SL20S0



12mm

A B

Plan Nero Marquina Bookmatch Slab
(P) PO2755-SL12P0
(Silk) PO2755-SL12S0

PLAN

porcelain slab



12mm

Plan Grey Stone (Silk) Slab
PO2760-SL12S0



12mm

Plan Light Grey Stone (Silk) Slab
PO2761-SL12S0

PLAN

porcelain slab



20mm

Plan Dolmen Pro Grigio (Flamed) Slab
PO2756-SL20F0



12mm

Plan Travertino Sand (Hammered) Slab
PO2759-SL12H0



PLAN

porcelain slab

DIMENSIONS

THICKNESS	SIZE
12mm, 20mm	63.78" x 127.55" = 56.50 sf (+/-)

Please note, all Plan porcelain slabs are through-body or through-vein.

APPLICATIONS

	WALL	FLOOR	INDOOR	EXTERIOR FREEZE/ THAW	STEAM SHOWER	WET AREA	POOL	BACKSPLASH	FIREPLACE	COUNTERTOP
All Finishes	Yes	No	Yes	Yes	Wall Only	Wall Only	No	Yes	Yes	Yes

Due to the inherent characteristics of porcelain, there may be variations in color, movement, and texture from lot to lot. For detailed installation guidelines, visit [akdo.com](#).

DISCLAIMER: The performance of surface covering products often depends on installation, environmental, and usage factors unique to each project. AKDO is not responsible for any effects that may be caused to products due to installation, wear from use, or exposure to environmental factors including but not limited to: hard water, chemicals, heat, flame, smoke, dirt or other substances. It is your responsibility to assess the project to determine if the product you are selecting is appropriate considering the unique characteristics of your installation, and to apply appropriate, high quality sealers when necessary. Please consult your installer for more information.

AKDO

1435 State Street
Bridgeport, CT 06605
1.800.811.2536
203.336.5199 (o)
203.404.5000 (f)

AKDO NYC

22 West 21st Street
New York, NY 10010
1.800.811.2536
212.485.0448 (o)
646.273.3903 (f)

akdo.com

09292025

