

AKDO®

PRIMAL

Hardwearing. Rigid. Unyielding.

Timeless tradition meets modern strength.




Far Beyond the Surface

PRIMAL

porcelain


Coal



Primal 2" x 2" Coal (Textured)
PO2852-M002T0



Primal 12" x 24" Coal (Textured)
PO2852-1224T0



Primal 24" x 48" Coal (Textured)
PO2852-2448T0

PRIMAL

porcelain

Sand



Primal 2" x 2" Sand (Textured)
PO2853-M002T0



Primal 12" x 24" Sand (Textured)
PO2853-1224T0




Primal 24" x 48" Sand (Textured)
PO2853-2448T0



PRIMAL

porcelain

Silver



Primal 2" x 2" Silver (Textured)
PO2854-M002T0



Primal 12" x 24" Silver (Textured)
PO2854-1224T0




Primal 24" x 48" Silver (Textured)
PO2854-2448T0

Product shown: Primal 12" x 24" Silver (Textured)


PRIMAL

porcelain

Warm



Primal 2" x 2" Warm (Textured)
PO2855-M002T0



Primal 12" x 24" Warm (Textured)
PO2855-1224T0



Primal 24" x 48" Warm (Textured)
PO2855-2448T0

PRIMAL

porcelain

DIMENSIONS

PROFILE	SIZE
2" x 2"	11 ¾" x 11 ¾" = 0.97 sqft (+/-)
12" x 24"	11 ¾" x 23 ½" = 1.94 sqft (+/-)
24" x 48"	23 ½" x 47 ¼" = 7.75 sqft (+/-)

APPLICATIONS

INTERIOR	EXTERIOR	TRAFFIC	SHOWER	BACKSPLASH	FIREPLACE SURROUND
Wall and Floor	Yes	Commercial	Wall and Floor, Including Steam	Yes	Yes
POOL					
Yes					

Due to the inherent characteristics of porcelain, there may be variations in color, movement, and texture from lot to lot. For detailed installation guidelines, visit akdo.com.

DISCLAIMER: The performance of surface covering products often depends on installation, environmental, and usage factors unique to each project. AKDO is not responsible for any effects that may be caused to products due to installation, wear from use, or exposure to environmental factors including but not limited to: hard water, chemicals, heat, flame, smoke, dirt or other substances. It is your responsibility to assess the project to determine if the product you are selecting is appropriate considering the unique characteristics of your installation, and to apply appropriate, high quality sealers when necessary. Please consult your installer for more information.

AKDO

1435 State Street
Bridgeport, CT 06605
1.800.811.2536
203.336.5199 (o)
203.404.5000 (f)

AKDO NYC

22 West 21st Street
New York, NY 10010
1.800.811.2536
212.485.0448 (o)
646.273.3903 (f)

akdo.com

11102025



COMMERCIAL · HOSPITALITY · RESIDENTIAL

AKDO®