

AKDO®



WISH

*Elegant. Enchanting. Delightful.
Your dream awaits.*



Far Beyond the Surface





Wish Covet Calacatta (H) w/ Brass
MB1203-COVTH0



Wish Covet Carrara Bella (H)
w/ Stainless Steel
MB1604-COVTH0



Wish Covet Tulip Black (H)
w/ Stainless Steel
MB1187-COVTH0

WISH

Crave



Wish Crave Calacatta (H/P)
MB1203-CRAVHO



Wish Crave Carrara Bella (H/P)
MB1604-CRAVHO



Wish Crave Torrent (H/P)
MB2346-CRAVHO



Wish Crave Windstorm (H/P)
MB2345-CRAVHO








Wish Desire Calacatta (H) w/ Brass
MB1203-DESRHO



Wish Desire Carrara Bella (H)
w/ Stainless Steel
MB1604-DESRHO



Wish Desire Tulip Black (H)
w/ Stainless Steel
MB1187-DESRHO





WISH


Hope



Wish Hope Calacatta (H) w/ Brass
MB1203-HOPEHO



Wish Hope Carrara Bella (H)
w/ Stainless Steel
MB1604-HOPEHO



Wish Hope Tulip Black (H)
w/ Stainless Steel
MB1187-HOPEHO







Wish Imagine Calacatta (H/P)
MB1203-IMAGH0



Wish Imagine Carrara Bella (H/P)
MB1604-IMAGH0



Wish Imagine Torrent (H/P)
MB2346-IMAGH0



Wish Imagine Windstorm (H/P)
MB2345-IMAGH0



CONVERSION CHART

PROFILE	SIZE
Covet	9.84" x 9.84" = 0.672 sqft
Crave	7.87" x 7.87" = 0.43 sqft
Desire	7.81" x 9.00" Hexagon = .366 sqft
Hope	7.87" x 7.87" = 0.43 sqft
Imagine	7.87" x 7.87" = 0.43 sqft

APPLICATIONS – WISH MOSAICS WITHOUT METAL

WALL	FLOOR	INTERIOR	EXTERIOR FREEZE/THAW	STEAM SHOWER	WET AREA	POOL
Yes	Yes	Yes	No	No	Yes, if sealed properly	No

APPLICATIONS – WISH MOSAICS WITH BRASS*

WALL	FLOOR	INTERIOR	EXTERIOR FREEZE/THAW	STEAM SHOWER	WET AREA	POOL
Yes	Yes	Yes	No	No	No	No

APPLICATIONS – WISH MOSAICS WITH STAINLESS STEEL*

WALL	FLOOR	INTERIOR	EXTERIOR FREEZE/THAW	STEAM SHOWER	WET AREA	POOL
Yes	Yes	Yes	No	No	Yes, if sealed properly	No

TECHNICAL DATA

FEATURES	RESULT
Heat Resistance	Heat not to exceed 176° F
Traffic	Standard Commercial

Epoxy grout should be used when installing Wish mosaics with brass. A 1/16" grout joint is recommended for all Wish mosaics.

For detailed installation guidelines, visit akdo.com.

*As a natural material, brass is prone to oxidation; a chemical reaction that occurs over time from exposure to air. Both stainless steel and brass may scratch when used as floor covering.

AKDO

1435 State Street
Bridgeport, CT 06605
1.800.811.2536
203.336.5199 (o)
203.336.0603 (f)

AKDO NYC

22 West 21st Street
New York, NY 10010
1.800.811.2536
212.485.0448 (o)
212.485.0449 (f)

AKDO Pacific

3445 Arden Road
Hayward, CA 94545
1.888.909.2536
510.785.2536 (o)
510.785.0895 (f)

akdo.com